

HALCYON
FLAVOURS
Party for your taste buds

Halcyon Food & Beverages Pvt. Ltd.

8-3-826/A, Beside Priya Arcade, Adjacent Lane to Indian Bank,
Yellareddyguda, Srinagar Colony,
Hyderabad - 500073, Telangana State, India

Contact Us : 95507 27374 | 99895 37374

95504 26543 | 90000 33556

Email: info@halcyonflavours.com

www.halcyonflavours.com



ICETEAM
1 9 2 7



The Art of Gelato since 1927

ICETEAM 1927 belongs to the ALI GROUP company, one of the leaders in gelato, soft, frozen desserts and pastry making machines industry. The company is the result of the joining forces of CATTABRIGA, COLDELITE, PROMAG and OTT FREEZER.

The wide range of products, unmatched in the industry, is something to be proud of and it is constantly renewed by new products, featuring both user-friendliness and



Italian Gelato

cattabriga

Since 1927, a starring name of the industry, and a leading force in the innovation under the flag of undisputed excellence.

COLDELITE

Pasteuriser and batch freezer coming in a single body, looking ahead to the future, for both gelato and pastry applications.

 **PROMAG**

Strikes the balance between Italian Engineering and Design, and a competitive price positioning.

innovation. Thanks to the diverse traditions coming from each brand, ICETEAM 1927 meets the demands of virtually all kind of customers in the foodservice industry, serves them with a listening attitude, and has the will to provide them with the right solution, either directly or through a well-structured sales network.



Soft Ice Cream

BIB

A range aimed at merging the American soft tradition with Italian passion for innovation, reaching high performance and reliability.



Pastry
Gastronomy

**Ott
Freezer**

Since 1935, thanks to its unique vertical cylinder, multifunction technology, a deserved name and an innovator in the world's top names of pastry and hotel industry.

ITALIAN GELATO



cattabriga

COLODELITE

 **PROMAG**

Unique Technologies



"Elite" stainless steel beater

100% stainless steel, patented and extremely performing.



APM system

Emulsionates the mix for a longer dryness of gelato, when in the display cabinet.



Direct expansion cylinder

Patented, makes the gas impact over the several parts of the cylinder as homogeneous as possible.



Plate condenser

Improves the heat exchange and lowers electricity and water consumption.



Glycol-based freezing

Makes an incomparable smooth and creamy product.



Dialog system

Remote assistance and monitoring system.



Double lid

Allows to add ingredients in the unit when at work, maintaining safety standards.



Double inverter

Varies the speed and adjusts the refrigerating power, with a remarkable saving of water and electricity.



Combined heating

The combination of coil and hot gas allows to perform a full pasteurization cycle in a reduced time.



TC board

In-house software, with high free memory slots for remote update.



Extraction by stick

Shows the gelato making manual skills to everyone in the shop.



Inclusions

Allows to add solid ingredients when freezing.



Plug & Play

It allows to plug the machine into a single phase installation, without losing any efficiency or performance.



Insulated door

Utterly isolates the batch freezing process.



Visible production

Makes production a true show in its more classical "stir and stick" process.



Heating plates

Three independent plates, to be activated according to the quantity of mix treated.



Environmentally friendly heating

Heats without activating any coil, thus reducing consumptions of water and energy.



PRO tap

Removable and easy to clean, even during the pasteurization process when the hopper is full.



Double exit boiler door

Allows to extract high-density products from combined units, directly from the boiler.



Automatic speed variation

Guarantees the best possible heat transfer in order to avoid foaming, even with small charges of mix.



Pasteurizer

PSK PRO

65

125

Quantity per cycle	lt	18 - 55	36 - 110
Installed power	kW	9	16
Electrical supply		400 / 3 / 50	400 / 3 / 50
Dimensions W x D x H	cm	39 x 85 x 140	64 x 85 x 140



Pasteurizer

EASYMIX

60 PLUS

60+60

Quantity per cycle	lt	20 - 60	2 X 30 - 2 X 60
Installed power	kW	9	12,4
Electrical supply		400 / 3 / 50	400 / 3 / 50
Dimensions W x D x H	cm	39 x 85 x 103	70 x 85 x 103



Pasteurizer

MIX 7

Quantity per cycle	lt	3 - 7
Installed power	kW	2,2
Electrical supply		220 / 1 / 50
Dimensions W x D x H	cm	43,5 x 71 x 26,5



Horizontal batch freezer

MULTIFREEZE 8 PRO 12 PRO 18 PRO

Quantity per cycle	Kg	1,5 - 8	1,5 - 12	2,5 - 18
Hourly production	lt	14 - 68	14 - 120	21 - 150
Installed power	kW	5,5	8	9,5
Electrical supply		400 / 3 / 50	400 / 3 / 50	400 / 3 / 50
Dimensions W x D x H	cm	53 x 70 x 137	53 x 70 x 137	60 x 84 x 137



Combo Unit

COMPACTA 6 VARIO 8 VARIO 10 VARIO 12

Quantity per cycle	Kg	3 - 8	1,5 - 8	1,5 - 10	1,5 - 12
Hourly production	lt	28 - 63	14 - 68	14 - 90	14 - 120
Installed power	kW	9	9	13	15
Electrical supply		400 / 3 / 50	400 / 3 / 50	400 / 3 / 50	400 / 3 / 50
Dimensions W x D x H	cm	60 x 77 x 153	60 x 77 x 153	60 x 77 x 153	60 x 77 x 153



Horizontal batch freezer

STARGEL 5 8 8 PRO 12 12 PRO

Quantity per cycle	Kg	3 - 5	5 - 8	5 - 8	6 - 12	6 - 12
Hourly production	lt	28 - 40	42 - 60	42 - 60	50 - 100	50 - 100
Installed power	kW	2,9	5,6	5,6	6,4	6,4
Electrical supply		400 / 3 / 50	400 / 3 / 50	400 / 3 / 50	400 / 3 / 50	400 / 3 / 50
Dimensions W x D x H	cm	50 x 73 x 140	50 x 73 x 140	50 x 73 x 140	50 x 73 x 140	50 x 73 x 140





Vertical batch freezer

EFFE

4

6

Quantity per cycle	Kg	4	6
Hourly production	lt	20	36
Installed power	kW	2	3,3
Electrical supply		220-380 / 3 / 50	220-380 / 3 / 50
Dimensions W x D x H	cm	51 x 69,5 x 186	55 x 83,5 x 200



Vertical batch freezer

EASYFREEZE

2000 HT

3000 HT

Quantity per cycle	Kg	3 - 7	6 - 12
Hourly production	lt	20 - 50	40 - 80
Installed power	kW	4,5	7,2
Electrical supply		400 / 3 / 50	400 / 3 / 50
Dimensions W x D x H	cm	50,5 x 80 x 118	55 x 91 x 130



Vertical batch freezer

GRANELLE

Quantity per cycle	Kg	3 - 7
Hourly production	lt	20 - 50
Installed power	kW	5,2
Electrical supply		400 / 3 / 50
Dimensions W x D x H	cm	51 x 64 x 121





Counter top Combo Unit

COMPACTA **4 CLASSIC** **4 SILVER**

Quantity per cycle	Kg	1,5 - 4	1,5 - 4
Hourly production	lt	18 - 27	20 - 36
Installed power	kW	4,5	4,5
Electrical supply		230 / 1 / 50	230 / 1 / 50
Dimensions W x D x H	cm	59 x 73 x 93	59 x 73 x 93



Counter top batch freezer

STARGEL 4

Quantity per cycle	Kg	1,5 - 4
Hourly production	lt	20 - 30
Installed power	kW	2,4
Electrical supply		230 / 1 / 50
Dimensions W x D x H	cm	47,5 x 65 x 76



Horizontal batch freezer

MTM **K20**

Quantity per cycle	Kg	1,5 - 2,5
Hourly production	lt	20
Installed power	kW	1,85
Electrical supply		220 / 1 / 50
Dimensions W x D x H	cm	36,5 x 71,5 x 66





SOFT ICE CREAM



BIB

Unique Technologies



3X Beater

Made by a few components and extremely performing in pushing the product towards the extraction point.



BAG-IN-BOX

Feeding system by a bag of mix connected into the unit.



REVERSE charge

Allows to effectively separate the operations area from the customers' self-service area.



Direct expansion cylinder

Patented, makes the gas impact over the several parts of the cylinder as homogeneous as possible.



Cleaning once a month

Certified procedure to clean the soft unit without disassembling most of the parts.



Dialog system

Remote assistance and monitoring system.



TC board

In-house software, with high free memory slots for remote update.



Mixer in tank

Available as an option. Allows to continuously stir yogurt mixes, or very dense products.



Double and independent motor

Improves the production and allows to adjust freezing power independently on each side.



Plug & Play

It allows to plug the machine into a single phase installation, without losing any efficiency or performance.



Peristaltic pump

User-friendly and easy to maintain, while highly performing.



Chimney system

Cooling system with exit from the top, to save space in the shop.



Single flavor, counter top unit

G1

Mix hopper capacity	lt	6
Flavors		1
Installed power	kW	1,5
Electrical supply		230 / 1 / 50
Dimensions W x D x H	cm	29 x 62 x 90



Single flavor, counter top unit

301

BABY

PRO

Hourly production	Kg	20	40
Flavors		1	1
Installed power	kW	2,3	2,7
Electrical supply		230 / 1 / 50	230 / 1 / 50
Dimensions W x D x H	cm	51 x 72 x 87	51 x 72 x 87



Single flavor, floor standing unit

401

BIB

BIB MIX

Hourly production	Kg	40	40
Flavors		1	1
Installed power	kW	2,5	2,5
Electrical supply		400 / 3 / 50	400 / 3 / 50
Dimensions W x D x H	cm	54 x 80 x 146	54 x 80 x 146





Double flavor, floor standing unit

603

BIB

BIB MIX

Hourly production	Kg	60	60
Flavors		2+1	2+1
Installed power	kW	5	5
Electrical supply		400 / 3 / 50	400 / 3 / 50
Dimensions W x D x H	cm	54 x 90 x 163 - 54 x 80 x 163	54 x 90 x 163 - 54 x 80 x 163
		AIR WATER	AIR WATER



Double flavor, floor standing unit

603

INOX

Hourly production	Kg	60	
Flavors		2+1	
Installed power	kW	5	
Electrical supply		400 / 3 / 50	
Dimensions W x D x H	cm	54 x 90 x 163 - 54 x 80 x 163	
		AIR WATER	



Double flavor, floor standing unit per self-service


603

REVERSE

Hourly production	Kg	60	
Flavors		2+1	
Installed power	kW	5	
Electrical supply		400 / 3 / 50	
Dimensions W x D x H	cm	50 x 84 x 174	



PASTRY GASTRONOMY



cattabriga

COLDELITE

**Ott
Freezer**

Unique Technologies



Multifunction beater

Only one beater to do everything: cooking, cooling, freezing.



Direct expansion cylinder

Patented, makes the gas impact over the several parts of the cylinder as homogeneous as possible.



Plate condenser

Improves the heat exchange and lowers electricity and water consumption.



Dialog system

Remote assistance and monitoring system.



Double lid

Allows to add ingredients in the unit when at work, maintaining safety standards.



Double inverter

Varies the speed and adjusts the refrigerating power, with a remarkable saving of water and electricity.



Cortex board

In-house software, with high free memory slots for remote update.



Insulated door

Utterly isolates the batch freezing process.



Heating plates

Three independent plates, to be activated according to the quantity of mix treated.



High temperature heating

Quietly reaching 105°C.



Environmentally friendly heating

Heats without activating any coil, thus reducing consumptions of water and energy.



Double exit boiler door

Allows to extract high-density products from combined units, directly from the boiler.



Multifunction

MASTERCHEF

12

20

Cylinder capacity	lt	12	20
Quantity per cycle (gelato)	Kg	3 - 7	5 - 12
Quantity per cycle (custard)	Kg	3 - 9	6 - 15
Time per cycle		9	9
max capacity	min.	(39 with pasteurizing cycle)	(39 with pasteurizing cycle)
Installed power	kW	5,2	7,7
Electrical supply		400 / 3 / 50	400 / 3 / 50
Number of speeds		7	7
Dimensions W x D x H	cm	50,5 x 70 x 121	55 x 74 x 139



Multifunction

COMPACTA VARIO PRO

Cylinder capacity	lt	11
Quantity per cycle (gelato)	Kg	1,5 - 8
Quantity per cycle (custard)	Kg	2,5 - 4
Durata ciclo gelato		13
massima capacità	min.	(25 with pasteurizing cycle)
Installed power	kW	9
Electrical supply		400 / 3 / 50
Number of speeds		7
Dimensions W x D x H	cm	60 x 77 x 153





Custard making machine


CREMOMATIC

35


60

Capacity	lt	16 - 32	26 - 52
Average time per cycle	min.	120	120
Installed power	kW	3,9	5,5
Electrical supply		400 / 3 / 50	400 / 3 / 50
Dimensions W x D x H	cm	61 x 68 x 100	66 x 68 x 107





ICETEAM



1 9 2 7

cattabriga

COLDELITE

 **PROMAG**

**Off
Freezer**



40011 Anzola dell'Emilia (Bo) Italy . Via Emilia 45/a . Tel. +39.051.6505330 . Fax +39.051.6505331 . e-mail: info@iceteam1927.it . www.iceteam1927.it

an Ali Group Company



The Spirit of Excellence

**HALCYON
FLAVOURS**
Party for your taste buds

BHOLAKUMAR SONAR
AREA MANAGER - SALES & SERVICE
99895 37374

Office : 95507 27374, 90320 07374

bholakumar@halcyonflavours.com | www.halcyonflavours.com

#8-3-826/A, Beside Priya Arcade, Adjacent lane to Indian bank
Yellareddy guda, Srinagar Colony, Hyderabad 500073,
Telangana State, India.